

ENSTO

NGRP506023.U

Cabinet wall installation GRP

Code NGRP506023.U
 GTIN 6438100133573
 Name Cabinet wall installation GRP Ensto Cubo N
 Size 500 x 600 x 230 mm, plain sides,
 polyester

Description Ensto Cubo N polyester wall cabinets are available with plain sides. These wall cabinets have superb temperature, UV and chemical resistance, high impact strength and a sturdy construction, and they are halogen free. UL-listed wall cabinet packages include wall mounting brackets (NFL1).

Vendor



Technical specification

Material

Gasket: Polyurethane
 Material selection: Polyester

Colors

Color: Grey

Others

Content: Empty enclosures, screws for mounting plate
 ETIM Class: EC000261

Certificates

Standards: UL 508A, EN 62208
 UL File no.: E189312

US specific

Depth inch: 9.06 in
 Enviromental type: 4, 4x, 12
 Height inch: 23.62 in

Operating temperature °F:	-104 ... 176 °F
Short term temperature range °F:	-122 ... 284 °F
Size inch:	19.69 x 23.62 x 9.06 in
Weight pound:	15.21 lb
Width inch:	19.69 in

Technical information

Material:	Glass reinforced polyester (GRP)
-----------	----------------------------------

Ratings

Degree of protection:	IP66
Flammability rating:	UL 746C 5 inch flame test
Glow wire test :	960 °C

Dimensions

Depth:	230 mm
Height:	600 mm
Net Weight:	6.9 kg
Size:	500 x 600 x 230 mm
Weight:	6.9 kg
Width:	500 mm

Mechanical

Impact strength:	IK 10
------------------	-------

Features

Lock type:	Din 3
------------	-------

ETIM 7

Etim

Colour:	Grey
Degree of protection (IP):	IP66
Depth:	230 mm
Floor installation possible:	False
Height:	600 mm
Impact strength:	IK10
Material:	Plastic
Number of doors:	1
Number of locks:	2
Pole fastening:	True
RAL-number:	7035
Suitable for outdoor set-up:	True
Surface finishing:	Untreated
Wall fastening possible:	True
With mounting plate:	False

Packaging

Default package

Unit:	PCE
Package size:	1
Depth:	255 mm
Width:	415 mm
Height:	630 mm
Weight:	6.9 kg
Volume:	66.66975 l